LIVE WEBCAST ONLINE ONLY AUCTION

WELL MAINTAINED BORING MILL & CNC MACHINE TOOL FACILITY

FEATURING: (5) Toshiba CNC Table Type Boring Mills, (2) CNC Floor Type Boring Mills, Toshiba 5-Face Gantry Mill, Turning Centers, Machining Centers, Bridge Cranes & Factory Support Equipment



Building & Property Also Available



5.9" TOSHIBA BP-150R22 CNC TABLE TYPE HBM



5.9" TOSHIBA BP-150R22 CNC TABLE TYPE HBM

Sale Date: Sale Location: Inspection: Thursday, July 9 at 10:00 AM ET 215 Wilkinson Road, Brampton (Toronto), ON L6T 4M2 Wednesday, July 8, 8:30 AM–4:30 PM ET, BY APPOINTMENT ONLY

Pre-Auction Offers Invited on Major Assets



Webcast Bidding Available Through



In Conjunction With:



ph +1-847-545-6374 • fax +1-847-427-8884 www.perfectionindustrial.com

+1-416-558-8890 AUC www.assetservices.ca

(5) CNC TABLE TYPE HORIZONTAL BORING MILLS



2015 TOSHIBA BP-150R22 SIDE VIEW



2015 TOSHIBA BP-150R22 86" X 71" TABLE



2011 TOSHIBA BP-150R22 86" X 71" TABLE

Auction Conducted in U.S. Funds



TOSHIBA BTD-13FR22 CNC TABLE TYPE HBM



2011 TOSHIBA BP-150R22 SPINDLE AND TOSNUC CONTROL

Inspection: Wednesday, July 8, 8:30 AM –4:30 PM ET, BY APPT. ONLY

To discuss your requirements for an auction, please call Perfection Industrial +1-847-545-6374



TOSHIBA BTD-13FR22 SPINDLE AND TOSNUC CONTROL

(5) CNC TABLE TYPE HORIZONTAL BORING MILLS

2015 5.9" TOSHIBA BP-150R22 CNC TABLE TYPE HORIZONTAL BORING MILL, s/n 130478, w/Tosnuc 888 Control, 86" x 71" T-Slot Rotary Table, 44,000 Lb Table Load, Travels: X-160", Y-120", Z-60", W-28", B-360,000 position, 5–2,500 RPM, 50 Taper Spindle, Through Spindle Coolant, 60 ATC, Spindle Extension, Right Angle Head, Chip Conveyor

2011 5.9" TOSHIBA BP-150R22 CNC TABLE TYPE HORIZONTAL BORING MILL, s/n 130412, w/Tosnuc 888 Control, 86" x 71" T-Slot Rotary Table, 44,000 Lb Table Load, Travels: X-160", Y-100", Z-60", W-28", B-360,000 position, 5–2,500 RPM, 50 Taper Spindle, Through Spindle Coolant, 60 ATC, Chip Conveyor

2001 5.1" TOSHIBA BTD-13FR22 CNC TABLE TYPE HORIZONTAL BORING MILL, s/n 144384, w/Tosnuc 888 Control, 86" x 71" T-Slot Rotary Table, 22,000 Lb Table Load, Travels: X-118", Y-90", Z-78", W-28", B-360,000 position, 5–2,500 RPM, 50 Taper Spindle, Through Spindle Coolant, 38 ATC, Chip Conveyor

5.1" TOSHIBA BTD-13FR22 CNC TABLE TYPE HORIZONTAL BORING MILL, s/n 144186, Tosnuc 888 Control, 86" x 71" T-Slot Rotary Table, 22,000 Lb Table Load, Travels: X-118", Y-90", Z-78", W-28", B-360,000 position, 5–2,500 RPM, 50 Taper Spindle, Through Spindle Coolant, 60 ATC, Chip Conveyor

4.3" TOSHIBA BTD-110R16 CNC TABLE TYPE HORIZONTAL BORING MILL, s/n 143557, w/ Tosnuc 888 Control, 78" x 59" T-Slot Table, 22,000 Lb Table Load, Travels: X-79", Y-59", Z-57", W-20", B-360,000 position, 5–3,000 RPM, 50 Taper Spindle, 38 ATC, Chip Conveyor



2015 TOSHIBA BP-150R22 SPINDLE

2015 TOSHIBA BP-150R22 TOSNUC CONTROL



5.1" TOSHIBA BTD-13FR22 CNC TABLE TYPE HBM

View our current auction schedule at www.perfectionindustrial.com

CNC FLOOR TYPE HORIZONTAL BORING MILLS, CNC GANTRY MILL



TOSHIBA BTD-110R16 CNC TABLE TYPE HBM

CNC FLOOR TYPE HORIZONTAL BORING MILLS

5.12" TOSHIBA SHIBAURA BF-130A CNC FLOOR TYPE HORIZONTAL BORING MILL, s/n 113872, w/Fanuc 11M Control, Travels: X-394", Y-136", Z-144", 5–950 RPM, 50 Taper Spindle, Power Draw Bar, Right Angle Head Attachment, (3) 14' x 14' x 16" T-Slot Floor Plates

4.92" UNION BFP-125/5 CNC FLOOR TYPE HORIZONTAL BORING MILL, s/n 10471, w/ Fanuc IV Control, Travels: X-320", Y-98", Z-96", 3.55 to 1,000 RPM, 50 Taper Spindle, (1) 24' x 6.5' x 16" T-Slot Floor Plate, (1) 12' x 5' x 16" T-Slot Floor Plate, Chip Conveyor

TOS ISO-16 86" X 86" INFEED ROTARY TABLE, s/n 11-03, w/60" Infeed, 34,000 Lb Table Load

WMW UNION 79" X 71" CNC INFEED ROTARY TABLE, s/n 794, w/48" Infeed, 14,000 Lb Table Load (2) CINCINNATI 15' X 47.5" T-SLOT ANGLE PLATES



TOSHIBA SHIBAURA BF-130A CNC FLOOR TYPE HBM

> TOSHIBA SHIBAURA BF-130A RIGHT ANGLE HEAD





UNION BFP-125/5 CNC FLOOR TYPE HBM



TOS ISO-16 86" X 86" INFEED ROTARY TABLE



WMW UNION 79" X 71" CNC INFEED ROTARY TABLE

To avoid any public gatherings, there will be no onsite participation in this Webcast-only auction. All bidders will be able to place live, real-time bids using a desktop or mobile device (the exact same way Webcast bidders have participated in previous sales) and can listen live in real-time to the auctioneer's audio stream.



(2) CINCINNATI 15' X 47.5" T- ANGLE PLATES



TOSHIBA SHIBAURA MPE-2140 CNC 5 FACE GANTRY MILL



TOSHIBA SHIBAURA MPE-2140 CNC 5 FACE GANTRY MILL

CNC GANTRY MILL

TOSHIBA SHIBAURA MPE-2140 CNC 5 FACE GANTRY MILL, s/n 115341, w/ Tosnuc 600 Control, 157" x 71" T-Slot Table, 40,000 Lb Table Load, Travels: X-177", Y-114", Z-39", 30-3,000 RPM, 50 Taper Spindle, 25 HP Spindle, 60 ATC

Sale Date: Thursday, July 9 at 10:00 AM ET

CNC TURNING CENTERS & CNC LATHES, CNC MACHINING CENTERS



MAZAK INTEGREX 70-4000U CNC TURNING/MILLING CENTER



MAZAK INTEGREX 70-4000U VIEW OF WORK ENVELOPE SMW "AUTOBLOC" HYDRAULIC STEADY REST

(MAZAK)





E NISHI MORI VIEW OF HEADSTOCK, CARRIAGE

AND CONTROL

Auction Conducted in U.S. Funds





MAZAK SQT-30M CNC TURNING CENTER

Inspection of assets in the sale is STRICTLY BY APPOINTMENT. We encourage inspections held via 1-on-1 video conferencing, however in person inspections can still be accommodated if required. Anyone showing up to the site without a scheduled appointment will be denied entry. Please call our office at +1-847-545-6374 as soon as possible to schedule your inspection.



HARRISON ALPHA-500 CNC GAP BED LATHE



TOSHIBA BMC-100E CNC VIEW OF SPINDLE AND CONTROL

CNC TURNING CENTERS & CNC LATHES

MAZAK INTEGREX 70-4000U CNC TURNING/MILLING CENTER, s/n M96-J03, w/Mazatrol T-Plus Control, 36" Swing, 156" Centers, 4.65" Through Spindle, 2–1,300 Turning RPM, 333–2,000 Milling RPM, 60 ATC, Programmable Tailstock, SMW "Autobloc" Hydraulic Steady Rest, Chip Conveyor

MAZAK SQT-30M CNC TURNING CENTER, s/n 115329, w/ Mazatrol T-Plus Control, 22" Swing, 48" Centers, 15–3,300 RPM, Programmable Tailstock, Chip Conveyor

NISHI MORI 60" X 40' CNC LATHE, w/Siemens Sinumerik Control, 60" Swing, 480" Centers, 2.8–195 RPM, 55" 4-Jaw Chuck, Power Tailstock, Quick Change Tool-post, Inch and Metric Threading, Steady Rests, Chip Conveyor

AMERICAN 3220X168 CNC LATHE, s/n 78120/67, w/Fanuc O-T2 Control, 32" Swing, 168" Centers, Chip Conveyor

HARRISON ALPHA-500 CNC GAP BED LATHE, s/n A-50387, w/GE Fanuc Control, 24" Swing, 80" Centers, 3.5" Through Spindle, 0–1,800 RPM, Quick Change Tool-Post

CNC MACHINING CENTERS

TOSHIBA BMC-100E CNC HORIZONTAL MACHINING CENTER, s/n 212401, w/Tosnuc 800 Control, Twin 39.3" Square Pallets, 5,500 Lb Table Load, Travels: X-78", Y-49", Z-47", 15–5,000 RPM, 50 Taper Spindle, 60 ATC, Chip Conveyor

TOSHIBA BMC-50E CNC HORIZONTAL MACHINING CENTER, s/n 212577, w/Tosnuc 800 Control, Twin 19.6" Square Pallets, 3,500 Lb Table Load, Travels: X-44", Y-25", Z-25", 15– 5,000 RPM, 50 Taper Spindle, 40 ATC, Chip Conveyor

MAZAK MTV 655/80 CNC VERTICAL MACHINING CENTER, s/n 118199, w/Mazatrol T-Plus Control, 88.5" x 25.5" Table, Travels: X-80", Y-25", Z-25", 25–6,000 RPM, 50 Taper Spindle, 30 ATC, Chip Conveyor





TOSHIBA BMC-100E CNC HMC

MACHINE TOOLS & MISC. EQUIP., CRANES & FORKLIFTS, FACTORY SUPPORT EQUIP.





COLUMBUS MCKINNON 2-TON SEMI-GANTRY CRANES



VIEW OF WELDERS

KOEI KOKI KU-35 HORIZONTAL BANDSAW





MUNCK 10-TON X 84' BRIDGE CRANE

MACHINE TOOLS & MISCELLANEOUS EQUIPMENT

4' KITCHEN & WADE E24 RADIAL ARM DRILL, s/n 21588, w/10" Column, Hydraulic Clamping, Box Table KOEI KOKI KU-35 HORIZONTAL BANDSAW, s/n NA, w/13" x 10" Capacity, Hydraulic Clamping MAIER KM10-12 ROLL-IN VERTICAL BANDSAW, s/n 48592 POCZO 150-TON HYDRAULIC SHOP PRESS, s/n NA RIDGID 300 POWER THREADER, s/n ED-25575

CRANES & FORKLIFTS

STAHL 40/10-TON X 84' DOUBLE GIRDER OVERHEAD BRIDGE CRANE, w/Remote Control MUNCK 10-TON X 84' SINGLE GIRDER OVERHEAD BRIDGE CRANE, w/Remote Control MUNCK 8-TON X 84' SINGLE GIRDER OVERHEAD BRIDGE CRANE, w/Remote Control (4) COLUMBUS MCKINNON 2-TON MOTORIZED SEMI-GANTRY CRANES NISSAN NO. 45 4,500 LB LPG FORKLIFT, s/n NA, w/Side Shifter NISSAN NO. 35 3,500 LB LPG FORKLIFT, s/n CP1F1-9N0772, w/Side Shifter


FACTORY SUPPORT EQUIPMENT

2004 GARDNER DENVER EBM-99K 75 HP ROTARY SCREW AIR COMPRESSOR, s/n 5184201 CANADIAN AA56-40 40 HP ROTARY SCREW AIR COMPRESSOR, s/n CG40A189178

ALSO: WELDERS, TOOL CRIB, MAGNETIC MACHINE CHUCKS, T-SLOTTED RISER BLOCKS, T-SLOTTED ANGLE PLATES, PARALLELS, CLAMPING TOOLS, SCREW JACKS, TOOL HOLDERS, PERISHABLE TOOLING, HAND AND POWER TOOLS, LIFTING CHAINS AND SLINGS, LIFTING MAGNETS AND CLAMPS, STEEL LAYOUT TABLES, WORK BENCHES, TOOL STORAGE CABINETS, EYE BOLTS, DUMPING HOPPERS, PALLET TRUCKS, SHOP FANS, STEEL SHELVING, LADDERS, STORAGE CABINETS, ETC.



VIEW OF ANGLE PLATES









Presorted First Class Mail U.S. Postage PAID Eugene, Oregon Permit No. 17

LIVE WEBCAST ONLINE ONLY AUCTION

Sale Date: Thursday, July 9 at 10:00 AM ET Sale Location: 215 Wilkinson Road, Brampton (Toronto), ON L6T 4M2

WELL MAINTAINED BORING MILL & CNC MACHINE TOOL FACILITY



5.9" TOSHIBA BP-150R22 CNC TABLE TYPE HBM

LIVE WEBCAST ONLINE ONLY AUCTION

TERMS OF SALE

An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 21%. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

REMOVAL

All items must be removed no later than Friday, July 24. All removal is strictly on an appointment only basis. Please note that the rigging and loading of certain major assets in this sale are being handled by an exclusive rigger, Redmond & Associates, and the winner of those lots will be required to use this rigger for all dismantling, rigging and loading for those specific lots. Any lots subject to this requirement will be noted in the lot catalog. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, and that certificate must be provided to the auctioneer for review and approval prior to the auction.

PAYMENT

ALL PURCHASES MUST BE PAID WITHIN 48 HOURS OF THE CLOSE OF SALE. Contact our Accounting team for wire instructions. Only wire transfer or certified check, payable to Perfection Industrial Sales will be accepted only if accompanied by a bank letter of guarantee. All sales are subject to sales tax. Purchasers claiming Sales Tax exemptions must provide proof satisfactory to the Perfection Accounting team to claim such exemptions.

FOR FURTHER INFORMATION

For further information, contact Jennifer Reiner at +1-847-545-6374 or jennifer@perfectionindustrial.com.

Please note that the rigging and loading of certain major assets in this sale are being handled by an exclusive rigger, Redmond & Associates, and the winner of those lots will be required to use this rigger for all dismantling, rigging and loading for those specific lots. Any lots subject to this requirement will be noted in the lot catalog.

Sale Date: Sale Location: Inspection:

Thursday, July 9 at 10:00 AM ET 215 Wilkinson Road, Brampton (Toronto), ON L6T 4M2 Wednesday, July 8, 8:30 AM–4:30 PM ET, BY APPOINTMENT ONLY



PERFECTION Industrial Sales Webcast Bidding Available Through



ASSET AUCTIONS · APPRAISALS

Perfection Industrial Sales ph +1-847-545-6374 • fax +1-847-427-8884 www.perfectionindustrial.com

+1-416-558-8890 AUC www.assetservices.ca

In Conjunction With: